



PVC SCH 40/80 FITTINGS

NCI
PIPE · VALVES · FITTINGS

CATALOG-PVC-0417

Table Of Contents

PVC Schedule 40 Fittings	3 - 12
401 Series: Reducing Tee (SOC x SOC x SOC)	4
401 Series: Tee (SOC x SOC x SOC)	4
402 Series: Tee (SOC x SOC x SOC)	4
402 Series: Reducing Tee (SOC x SOC x FIPT)	5
403 Series: Tee (SOC x FIPT x SOC)	4
404 Series: 90° Street Elbow (SPIG x FIPT)	5
405 Series: Tee (FIPT x FIPT x FIPT)	5
406 Series: 90° Elbow (SOC x SOC)	5
406 Series: 90° Sweep Elbow (SOC x SOC)	5
406 Series: 90° Reducing Elbow (SOC x SOC)	5
407 Series: 90° Elbow (SOC x FIPT)	6
407 Series: 90° Reducing Elbow (SOC x FIPT)	6
408 Series: 90° Elbow (FIPT x FIPT)	6
409 Series: 90° Street Elbow (SPIG x SOC)	6
410 Series: 90° Street Elbow (MIPT x SOC)	6
410 Series: 90° Reducing Street Elbow (MIPT x SOC)	6
411 Series: 11 - 1/4° Elbow (SOC x SOC)	6
412 Series: 90° Street Elbow (MIPT x FIPT)	6
413 Series: Side Outlet Elbow (SOC x SOC x SOC)	6
414 Series: Side Outlet Elbow (SOC x SOC x FIPT)	6
416 Series: 22 - 1/2° Elbow (SOC x SOC)	7
417 Series: 45° Elbow (SOC x SOC)	7
417 Series: Deep Socket 45° Elbow (SOC x SOC)	7
420 Series: Cross (SOC x SOC x SOC x SOC)	7
420 Series: Reducing Cross (SOC x SOC x SOC)	7
427 Series: 45° Street Elbow (SPIG x SOC)	7
429 Series: Coupling (SOC x SOC)	7
429 Series: Reducing Coupling / Eccentric Reducer Coupling (SOC x SOC)	8
430 Series: Coupling (FIPT x FIPT)	8
430 Series: Reducing Coupling (FIPT x FIPT)	8
434 Series: Riser Extension (FIPT x MIPT)	8
435 Series: Female Adapter (SOC x FIPT)	8
435 Series: Reducing Female Adapter (SOC x FIPT)	9
436 Series: Male Adapter (MIPT x SOC)	9
436 Series: Reducing Male Adapter (MIPT x SOC)	9
437 Series: Reducing Bushing Flush Style (SPIG x SOC)	9
438 Series: Reducing Bushing Flush Style (SPIG x FIPT)	10
439 Series: Reducing TT Bushing Flush Style (MIPT x FIPT)	10
442 Series: 22 - 1/2° Street Elbow (SPIG x SOC)	10
444 Series: Street Tee (SPIG x SOC x SOC)	10

Table Of Contents

PVC Schedule 40 Fittings	3 - 12
447 Series: Cap (SOC)	11
448 Series: Cap (FIPT)	11
449 Series: Plug SPIG)	11
450 Series: Plug (MIPT)	11
461 Series: Male Adapter (Take Off) (SPIG x MIPT)	11
464 Series: Snap-On Saddle (IPS O.D. x FIPT)	11
474 Series: Insert Adapter (INSERT x SOC)	11
475 Series: Wye (SOC x SOC x SOC)	12
475 Series: Reducing Wye (SOC x SOC x SOC).....	12
478 Series: Spigot Female Adapter (SPIG x FIPT)	12
479 Series: Deep Socket Coupling (SOC x SOC)	12
497 Series: Union w/O-Ring Seal (SOC x SOC)	12
498 Series: Union w/O-Ring Seal (FIPT x FIPT)	12
PVC Schedule 80 Fittings	13 - 17
801 Series: Tee (SOC x SOC x SOC)	14
801 Series: Reducing Tee(SOC x SOC x SOC)	14
802 Series: Tee (Soc x SOC x FIPT)	14
802 Series: Reducing Tee (SOC x SOC x FIPT)	14
805 Series: Tee (FIPT x FIPT x FIPT)	14
806 Series: 90° Elbow (SOC x SOC)	14
807 Series: 90° Elbow (SOC x FIPT)	14
808 Series: 90° Elbow (FIPT x FIPT)	14
817 Series: 45° Elbow (SOC x SOC)	15
819 Series: 45° Elbow (FIPT x FIPT)	15
829 Series: Coupling (SOC x SOC)	15
829 Series: Reducing Coupling (SOC x SOC).....	15
830 Series: Coupling (FIPT x FIPT).....	15
835 Series: Female Adapter (SOC x FIPT)	15
836 Series: Male Adapter (MIPT x SOC)	15
897 Series: Union (SOC x SOC w/O-Ring Seal)	15
837 Series: Reducing Bushing Flush Style (SPIG x SOC)	16
838 Series: Reducing Bushing Flush Style (SPIG x FIPT)	16
839 Series: Reducing T.T. Bushing Flush Style (MIPT x FIPT)	16
847 Series: Cap (SOC)	16
848 Series: Cap (FIPT)	16
849 Series: Plug (SPIG)	17
850 Series: Plug (MIPT)	17
851 Series: Flange One Piece (SOC)	17
852 Series: Floor Flange (FIPT)	17
853 Series: Blind Flange	17

PVC Sch 40 Fittings



Referential Standards:

NSF/ANSI 61 Drinking Water Systems Components – Health Effects
 NSF/ANSI 14 Plastics Piping System Components and Related Materials
 ASTM D 1784 Standard Specification for Rigid Poly Vinyl Chloride (PVC)
 ASTM D 2466 Standard Specification for Poly Vinyl Chloride (PVC) Plastic, Pipe Fittings, Sch40


For information about the Manufacturer's Warranty, please contact our Customer Service Representatives.

PVC Sch 40 Fittings




REDUCING TEE (SOC × SOC × SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
401-053	3/8x3/8x1/2	50	400
401-074	1/2x1/2x3/4	50	200
401-075	1/2x1/2x1	50	200
401-094	3/4x1/2x1/2	50	200
401-095	3/4x1/2x3/4	50	300
401-101	3/4x3/4x1/2	50	200
401-102	3/4x3/4x1	50	200
401-122	1x1/2x1	50	200
401-124	1x3/4x1/2	50	300
401-125	1x3/4x3/4	50	200
401-126	1x3/4x1	50	200
401-130	1x1x1/2	50	200
401-131	1x1x3/4	50	200
401-132	1x1x1-1/4	25	150
401-133	1x1x1-1/2	25	100
401-134	1x1x2	25	100
401-156	1-1/4x1x1/2	25	150
401-157	1-1/4x1x3/4	25	150
401-158	1-1/4x1x1	25	150
401-166	1-1/4x1-1/4x1/2	25	150
401-167	1-1/4x1-1/4x3/4	25	100
401-168	1-1/4x1-1/4x1	25	100
401-169	1-1/4x1-1/4x1-1/2	25	100
401-199	1-1/2x1-1/4x1/2	25	150
401-201	1-1/2x1-1/4x3/4	25	150
401-202	1-1/2x1-1/4x1	25	100
401-203	1-1/2x1-1/4x1-1/4	25	100
401-209	1-1/2x1-1/2x1/2	25	100
401-210	1-1/2x1-1/2x3/4	25	100
401-211	1-1/2x1-1/2x1	25	100
401-212	1-1/2x1-1/2x1-1/4	25	100
401-213	1-1/2x1-1/2x2		
401-233	2x1x2	10	40
401-238	2x1-1/2x3/4	10	40
401-239	2x1-1/2x1	10	60
401-241	2x1-1/2x1-1/2	10	60
401-247	2x2x1/2	10	40
401-248	2x2x3/4	10	40
401-249	2x2x1	10	60
401-250	2x2x1-1/4	10	60
401-251	2x2x1-1/2	10	40
401-287	2-1/2x2-1/2x1/2	10	40
401-288	2-1/2x2-1/2x3/4	10	40
401-289	2-1/2x2-1/2x1	10	40
401-290	2-1/2x2-1/2x1-1/4	10	40
401-291	2-1/2x2-1/2x1-1/2	10	40
401-292	2-1/2x2-1/2x2	8	32
401-333	3x3x1/2	8	32
401-334	3x3x3/4	10	0
401-335	3x3x1	10	0
401-336	3x3x1-1/4	8	32
401-337	3x3x1-1/2	15	0
401-338	3x3x2	6	24
401-339	3x3x2-1/2	10	0
401-416	4x4x3/4	6	24
401-417	4x4x1	6	24




REDUCING TEE (SOC × SOC × SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
401-418	4x4x1-1/4	10	0
401-419	4x4x1-1/2	10	0
401-420	4x4x2	10	0
401-422	4x4x3	6	0
401-486	5x5x2	5	0
401-488	5x5x3	8	0
401-490	5x5x4	6	0
401-528	6x6x2	6	0
401-530	6x6x3	5	0
401-532	6x6x4	5	0
401-582	8x8x4	8	0
401-585	8x8x6	5	0




TEE (SOC × SOC × SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
401-003	3/8	50	400
401-005	1/2	50	300
401-007	3/4	50	300
401-010	1	50	200
401-012	1-1/4	25	100
401-015	1-1/2	25	100
401-020	2	25	0
401-025	2-1/2	10	0
401-030	3	10	0
401-040	4	6	0
401-050	5	5	0
401-060	6	2	0
401-080	8	5	0




TEE (SOC × SOC × FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
402-005	1/2	50	300
402-007	3/4	50	300
402-010	1	50	200
402-012	1-1/4	25	100
402-015	1-1/2	25	100
402-020	2	10	60
402-025	2-1/2	15	0
402-030	3	10	0
402-040	4	6	0



TEE (SOC × FIPT × SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
403-005	1/2	50	300
403-007	3/4	50	300




*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




REDUCING TEE (SOC×SOC× FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
402-071	1/2x1/2x1/8	50	200
402-072	1/2x1/2x1/4	50	400
402-074	1/2x1/2x3/4	50	200
402-094	3/4x1/2x1/2	50	200
402-095	3/4x1/2x3/4	50	300
402-101	3/4x3/4x1/2	50	200
402-124	1x3/4x1/2	50	300
402-125	1x3/4x3/4	40	240
402-130	1x1x1/2	50	200
402-131	1x1x3/4	50	200
402-156	1-1/4x1x1/2	25	100
402-157	1-1/4x1x3/4	25	150
402-158	1-1/4x1x1	25	150
402-166	1-1/4x1-1/4x1/2	25	150
402-167	1-1/4x1-1/4x3/4	25	150
402-168	1-1/4x1-1/4x1	25	150
402-199	1-1/2x1-1/4x1/2	25	150
402-201	1-1/2x1-1/4x3/4	25	150
402-202	1-1/2x1-1/4x1	25	150
402-209	1-1/2x1-1/2x1/2	25	150
402-210	1-1/2x1-1/2x3/4	25	100
402-211	1-1/2x1-1/2x1	25	100
402-212	1-1/2x1-1/2x1-1/4	25	100
402-239	2x1-1/2x1	10	40
402-247	2x2x1/2	10	40
402-248	2x2x3/4	10	60
402-249	2x2x1	10	40
402-250	2x2x1-1/4	10	60
402-251	2x2x1-1/2	10	60
402-287	2-1/2x2-1/2x1/2	10	40
402-288	2-1/2x2-1/2x3/4	10	40
402-289	2-1/2x2-1/2x1	10	40
402-290	2-1/2x2-1/2x1-1/4	10	40
402-291	2-1/2x2-1/2x1-1/2	10	40
402-292	2-1/2x2-1/2x2	8	32
402-333	3x3x1/2	8	32
402-334	3x3x3/4	8	32
402-335	3x3x1	8	32
402-336	3x3x1-1/4	8	32
402-337	3x3x1-1/2	10	0
402-338	3x3x2	6	24
402-416	4x4x3/4	6	24
402-417	4x4x1	6	24
402-418	4x4x1-1/4	10	0
402-419	4x4x1-1/2	10	0
402-420	4x4x2	10	0
402-422	4x4x3	6	0
402-490	5x5x4	6	0
402-525	6x6x1	6	0
402-528	6x6x2	4	0
402-530	6x6x3	4	0
402-532	6x6x4	2	0




TEE (FIPT×FIPT×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
405-005	1/2	50	300
405-007	3/4	50	200
405-010	1	50	200
405-012	1-1/4	25	150
405-015	1-1/2	25	100
405-020	2	10	60




90° ELL (SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
406-003	3/8	50	600
406-005	1/2	50	400
406-007	3/4	50	200
406-010	1	50	300
406-012	1-1/4	25	150
406-015	1-1/2	25	100
406-020	2	20	80
406-025	2-1/2	10	40
406-030	3	10	0
406-040	4	8	0
406-050	5	4	0
406-060	6	3	0
406-080	8	4	0




90° SWEEP ELL (SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
406-015S	1-1/2	25	100
406-020S	2	15	60
406-025S	2-1/2	15	0
406-030S	3	25	0




90° REDUCING ELL (SOC×SOC)

Part Number	Size (in)	Std PK	Mstr Ctn
406-053	3/8x1/2	50	400
406-101	3/4x1/2	50	300
406-130	1x1/2	50	300
406-131	1x3/4	50	300
406-166	1-1/4x1/2	25	150
406-167	1-1/4x3/4	25	150
406-168	1-1/4x1	25	150
406-209	1-1/2x1/2	25	100
406-211	1-1/2x1	25	100
406-212	1-1/2x1-1/4	25	100
406-249	2x1	10	40
406-250	2x1-1/4	10	40
406-251	2x1-1/2	10	40
406-292	2-1/2x2	10	40



90° STREET ELL (SPIG×FIPT)

Part Number	Size (in)	Std PK	Mstr Ctn
404-005	1/2	50	400
404-007	3/4	50	300




*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




90° ELL (SOC×FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
407-005	1/2	50	400
407-007	3/4	50	200
407-010	1	50	300
407-012	1-1/4	25	150
407-015	1-1/2	25	100
407-020	2	10	40
407-025	2-1/2	9	36
407-030	3	6	24
407-040	4	7	0


Pressure Rating 150psi @73°F (23°C)

90° STREET ELL (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
410-005	1/2	50	400
410-007	3/4	50	200
410-010	1	50	300
410-012	1-1/4	25	100
410-015	1-1/2	25	100
410-020	2	10	40

90° REDUCING STREET ELL (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
410-101	3/4x1/2	50	300
410-102	3/4x1	50	200

90° REDUCING ELL (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
407-053	3/8x1/2	50	400
407-074	1/2x3/4	50	300
407-101	3/4x1/2	50	300
407-130	1x1/2	50	200
407-131	1x3/4	50	300
407-168	1-1/4x1	25	100
407-211	1-1/2x1	25	100
407-212	1-1/2x1-1/4	15	60
407-249	2x1	10	40
407-250	2x1-1/4	10	40
407-251	2x1-1/2	10	40

11-1/4° ELL (SOC×SOC) Coming Soon




Part Number	Size (in)	Std PK	Mstr Ctn
411-100	10		
411-120	12	2	0

90° STREET ELL (MIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
412-005	1/2	50	400
412-007	3/4	50	300
412-010	1	50	300
412-012	1-1/4	25	100
412-015	1-1/2	25	150
412-020	2	10	40

90° ELL (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
408-005	1/2	50	400
408-007	3/4	50	300
408-010	1	50	300
408-012	1-1/4	25	150
408-015	1-1/2	35	140
408-020	2	10	60

SIDE OUTLET ELL (SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
413-005	1/2	50	300
413-007	3/4	50	300
413-010	1	25	150
413-015	1-1/2	10	60
413-020	2	10	40

90° STREET ELL (SPIG×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
409-005	1/2	50	400
409-007	3/4	50	200
409-010	1	50	300
409-012	1-1/4	25	150
409-015	1-1/2	25	100
409-020	2	10	60
409-025	2-1/2	10	40
409-030	3	15	0
409-040	4	10	0
409-060	6	5	0

SIDE OUTLET ELL (SOC×SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
414-005	1/2	50	300
414-007	3/4	50	300
414-101	3/4x3/4x1/2	50	200
414-010	1	20	80
414-130	1x1x1/2	50	200

*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




22-1/2° ELL (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
416-015	1-1/2	20	80
416-020	2	20	120
416-025	2-1/2	10	60
416-030	3	20	0
416-040	4	12	0
416-060	6	4	0
416-100	10		

45° ELL (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
417-005	1/2	50	400
417-007	3/4	50	200
417-010	1	50	300
417-012	1-1/4	25	150
417-015	1-1/2	25	100
417-020	2	25	100
417-025	2-1/2	10	40
417-030	3	15	0
417-040	4	4	16
417-050	5	10	0
417-060	6	5	0
417-080	8	6	0
417-100	10		

DEEP SOCKET 45° ELL (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
417-020DS	2	20	80
417-030DS	3	25	0

CROSS (SOC×SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
420-005	1/2	50	200
420-007	3/4	50	200
420-010	1	25	100
420-012	1-1/4	50	0
420-015	1-1/2	25	0
420-020	2	8	32
420-025	2-1/2	10	0
420-030	3	6	0
420-040	4	6	0
420-060	6	2	0

REDUCING CROSS (SOC×SOC×SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
420-101	3/4x3/4x1/2x1/2	50	300
420-249	2x2x1x1	10	40
420-251	2x2x1-1/2x1-1/2	10	40
420-335	3x3x1x1	18	0
420-337	3x3x1-1/2x1-1/2	15	0
420-338	3x3x2x2	12	0
420-419	4x4x1-1/2x1-1/2	8	0
420-420	4x4x2x2	6	0
420-422	4x4x3x3	5	0
420-528	6x6x2x2	3	0
420-532	6x6x4x4	2	0

45° STREET ELL (SPIG×SOC) Coming Soon



Part Number	Size (in)	Std PK	Mstr Ctn
427-005	1/2	50	600
427-007	3/4	50	200
427-010	1	50	200
427-012	1-1/4	25	100
427-015	1-1/2	25	150
427-020	2	25	100
427-025	2-1/2	10	40
427-030	3	5	30
427-040	4	20	0
427-060	6	8	0
427-080	8		
427-100	10		

COUPLING (SOC×SOC) Coming Soon




Part Number	Size (in)	Std PK	Mstr Ctn
429-003	3/8	50	600
429-005	1/2	50	600
429-007	3/4	50	400
429-010	1	50	200
429-012	1-1/4	25	150
429-015	1-1/2	25	100
429-020	2	25	100
429-025	2-1/2	12	72
429-030	3	10	40
429-040	4	6	24
429-050	5	18	0
429-060	6	6	0
429-080	8	8	0
429-100	10		
429-120	12		

*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




REDUCING COUPLING (SOC × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
429-101	3/4x1/2	50	400
429-130	1x1/2	25	300
429-131	1x3/4	50	300
429-166	1-1/4x1/2	25	150
429-167	1-1/4x3/4	25	150
429-168	1-1/4x1	25	150
429-209	1-1/2x1/2	25	150
429-210	1-1/2x3/4	25	150
429-211	1-1/2x1	25	100
429-212	1-1/2x1-1/4	25	100
429-247	2x1/2	10	80
429-248	2x3/4	10	80
429-249	2x1	25	150
429-250	2x1-1/4	10	80
429-251	2x1-1/2	10	80
429-291	2-1/2x1-1/2	10	40
429-292	2-1/2x2	10	40
429-338	3x2	8	32
429-340	3x2-1/2	8	32
429-420	4x2	4	16
429-421	4x2-1/2	6	24
429-422	4x3	4	16
429-528	6x2	10	0
429-530	6x3	15	0
429-532	6x4	5	0
429-582	8x4	12	0
429-585	8x6	12	0
429-626	10x6	8	0
429-628	10x8	8	0
429-668	12x8	3	0
429-670	12x10	3	0

COUPLING (FIPT × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
430-005	1/2	50	600
430-007	3/4	50	400
430-010	1	50	200
430-012	1-1/4	10	120
430-020	2	10	80

REDUCING COUPLING (FIPT × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
430-101	3/4x1/2	50	400
430-131	1x3/4	50	300

RISER EXTENSION (FIPT × MIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
434-005	1/2	50	600
434-007	3/4	50	400

ECCENTRIC REDUCER COUPLING (SOC × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
429-168E	1-1/4x1	25	150
429-212E	1-1/2x1-1/4	25	100
429-251E	2x1-1/2	10	80
429-292E	2-1/2x2	10	60
429-338E	3x2	9	36
429-420E	4x2	15	0
429-421E	4x2-1/2	6	24
429-422E	4x3	12	0
429-528E	6x2	3	0
429-530E	6x3	3	0
429-532E	6x4	5	0

FEMALE ADAPTER (SOC × FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
435-003	3/8	100	1200
435-005	1/2	50	600
435-007	3/4	50	400
435-010	1	50	200
435-012	1-1/4	25	100
435-015	1-1/2	25	100
435-020	2	10	80
435-025	2-1/2	10	40
435-030	3	10	40
435-040	4	6	36
435-060	6	5	0

*** Sizes and specifications shown are subject to change without notice. ***


PVC Sch 40 Fittings



PIPE · VALVES · FITTINGS


Manufactured by LESSO

REDUCING FEMALE ADAPTER (SOC × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
435-072	1/2x1/4	50	600
435-073	1/2x3/8	50	600
435-074	1/2x3/4		
435-101	3/4x1/2	50	400
435-102	3/4x1	25	200
435-130	1x1/2	50	200
435-131	1x3/4	50	200
435-133	1x1-1/2	25	150
435-168	1-1/4x1	25	100

REDUCING BUSHING FLUSH STYLE (SPIG × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
437-072	1/2x1/4	50	600
437-073	1/2x3/8	50	600
437-101	3/4x1/2	50	600
437-130	1x1/2	50	400
437-131	1x3/4	50	400
437-166	1-1/4x1/2	25	300
437-167	1-1/4x3/4	25	300
437-168	1-1/4x1	25	300
437-209	1-1/2x1/2	25	150
437-210	1-1/2x3/4	25	150
437-211	1-1/2x1	25	150
437-212	1-1/2x1-1/4	25	150
437-247	2x1/2	10	80
437-248	2x3/4	10	60
437-249	2x1	10	80
437-250	2x1-1/4	10	80
437-251	2x1-1/2	10	80
437-287	2-1/2x1/2	10	60
437-288	2-1/2x3/4	10	60
437-289	2-1/2x1	10	60
437-290	2-1/2x1-1/4	10	60
437-291	2-1/2x1-1/2	10	60
437-292	2-1/2x2	10	60
437-334	3x3/4	10	40
437-335	3x1	10	40
437-336	3x1-1/4	10	40
437-337	3x1-1/2	10	40
437-338	3x2	10	40
437-339	3x2-1/2	15	90
437-420	4x2	6	24
437-421	4x2-1/2	6	24
437-422	4x3	6	24
437-488	5x3	15	0
437-490	5x4	15	0
437-528	6x2	9	0
437-530	6x3	9	0
437-532	6x4	9	0
437-534	6x5	20	0
437-582	8x4	3	0
437-585	8x6	3	0
437-623	10x3	12	0
437-624	10x4	12	0
437-626	10x6	12	0
437-628	10x8	16	0

MALE ADAPTER (MIPT × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
436-003	3/8	50	600
436-005	1/2	50	600
436-007	3/4	50	400
436-010	1	50	200
436-012	1-1/4	25	150
436-015	1-1/2	25	100
436-020	2	25	100
436-025	2-1/2	10	40
436-030	3	10	60
436-040	4	4	16
436-060	6	6	0

REDUCING MALE ADAPTER (MIPT × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
436-053	3/8x1/2	50	600
436-073	1/2x3/8	50	600
436-074	1/2x3/4	50	400
436-075	1/2x1	40	240
436-101	3/4x1/2	50	600
436-102	3/4x1	50	300
436-131	1x3/4	50	400
436-132	1x1-1/4	50	300
436-133	1x1-1/2	50	300
436-168	1-1/4x1	25	200
436-169	1-1/4x1-1/2	25	150
436-212	1-1/2x1-1/4	25	100
436-213	1-1/2x2	25	100
436-251	2x1-1/2	10	80
436-252	2x2-1/2	10	40
436-253	2x3	10	60
436-342	3x4	5	30

*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




REDUCING BUSHING FLUSH STYLE (SPIG × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
438-052	3/8x1/4	50	600
438-071	1/2x1/8	50	600
438-072	1/2x1/4	50	600
438-073	1/2x3/8	50	600
438-098	3/4x1/4	50	600
438-101	3/4x1/2	100	800
438-128	1x1/4	50	400
438-129	1x3/8	50	400
438-130	1x1/2	50	400
438-131	1x3/4	50	400
438-166	1-1/4x1/2	25	200
438-167	1-1/4x3/4	25	200
438-168	1-1/4x1	25	100
438-207	1-1/2x1/4	25	200
438-209	1-1/2x1/2	25	150
438-210	1-1/2x3/4	25	100
438-211	1-1/2x1	25	150
438-212	1-1/2x1-1/4	25	150
438-245	2x1/4	10	120
438-247	2x1/2	10	120
438-248	2x3/4	10	120
438-249	2x1	10	120
438-250	2x1-1/4	10	120
438-251	2x1-1/2	10	120
438-288	2-1/2x3/4	10	60
438-289	2-1/2x1	10	60
438-290	2-1/2x1-1/4	10	60
438-291	2-1/2x1-1/2	10	60
438-292	2-1/2x2	10	60
438-335	3x1	10	40
438-336	3x1-1/4	10	40
438-337	3x1-1/2	10	40
438-338	3x2	10	40
438-339	3x2-1/2	10	40
438-420	4x2	6	24
438-421	4x2-1/2	6	24
438-422	4x3	6	24
438-490	5x4	6	24
438-528	6x2	9	0
438-530	6x3	9	0
438-532	6x4	9	0

REDUCING T.T. BUSHING FLUSH STYLE (MIPT × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
439-052	3/8x1/4	50	600
439-072	1/2x1/4	150	1800
439-073	1/2x3/8	50	600
439-098	3/4x1/4	50	600
439-099	3/4x3/8	50	600
439-101	3/4x1/2	50	600
439-128	1x1/4	25	300
439-130	1x1/2	50	600
439-131	1x3/4	50	600
439-166	1-1/4x1/2	25	300
439-167	1-1/4x3/4	25	300
439-168	1-1/4x1	25	300
439-198	1-1/2x2	40	240
439-209	1-1/2x1/2	25	200
439-210	1-1/2x3/4	25	200
439-211	1-1/2x1	25	200
439-212	1-1/2x1-1/4	25	200
439-248	2x3/4	10	120
439-249	2x1	10	120
439-250	2x1-1/4	10	120
439-251	2x1-1/2	10	120
439-292	2-1/2x2	10	60
439-338	3x2	10	60
439-422	4x3	6	24

22-1/2° STREET ELL (SPIG × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
442-005	1/2	50	600
442-007	3/4	50	300
442-010	1	50	200
442-012	1-1/4	25	100
442-015	1-1/2	30	120
442-020	2	20	80
442-025	2-1/2	10	60
442-030	3	5	30
442-040	4	4	16
442-060	6	5	0

STREET TEE (SPIG × SOC × SOC) Coming Soon




Part Number	Size (in)	Std PK	Mstr Ctn
444-005	1/2	25	200
444-007	3/4	15	120
444-010	1	15	90
444-012	1-1/4	10	40
444-015	1-1/2	10	40
444-020	2	10	40

*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




CAP (SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
447-003	3/8	100	1200
447-005	1/2	100	1200
447-007	3/4	50	600
447-010	1	50	300
447-012	1-1/4	25	150
447-015	1-1/2	25	150
447-020	2	10	80
447-025	2-1/2	10	60
447-030	3	10	40
447-040	4	6	24
447-050	5	6	24
447-060	6	8	0
447-080	8	12	0
447-100	10	12	0
447-120	12	6	0

PLUG (MIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
450-003	3/8	100	1200
450-005	1/2	150	1800
450-007	3/4	100	1200
450-010	1	50	400
450-012	1-1/4	25	300
450-015	1-1/2	25	200
450-020	2	10	120
450-025	2-1/2	10	60
450-030	3	10	40
450-040	4	6	24
450-060	6	4	16

CAP (FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
448-003	3/8	100	1200
448-005	1/2	100	1200
448-007	3/4	50	600
448-010	1	50	400
448-012	1-1/4	25	200
448-015	1-1/2	25	150
448-020	2	10	120
448-025	2-1/2	10	60
448-030	3	10	40
448-040	4	6	36
448-060	6	13	0

MALE ADAPTER (TAKE OFF) (SPIG × MIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
461-005	1/2	50	600
461-007	3/4	50	400
461-010	1	50	300
461-015	1-1/2	25	100
461-020	2	25	100


SNAP-ON SADDLE (IPS O.D. × FIPT) Coming Soon



Part Number	Size (in)	Std PK	Mstr Ctn
464-007	3/4	25	200
464-101	3/4x1/2		
464-130	1x1/2	25	150
464-131	1x3/4		


Non-Pressure Rated
NSF Not Available

PLUG (SPIG)



Part Number	Size (in)	Std PK	Mstr Ctn
449-003	3/8	150	1800
449-005	1/2	100	1200
449-007	3/4	50	600
449-010	1	50	400
449-012	1-1/4	25	200
449-015	1-1/2	25	150
449-020	2	10	120
449-025	2-1/2	10	60
449-030	3	10	40
449-040	4	6	24
449-060	6	8	0

INSERT ADAPTER (INSERT × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
474-007	3/4	50	400
474-010	1	25	200
474-015	1-1/2	25	100
474-020	2	20	80


ASTM D 2609 ASTM 2466
NSF Not Available

*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 40 Fittings




WYE (SOC × SOC × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
475-005	1/2	25	150
475-007	3/4	20	80
475-010	1	20	120
475-012	1-1/4	20	80
475-015	1-1/2	15	60
475-020	2	10	40
475-025	2-1/2	3	12
475-030	3	6	0
475-040	4	5	0
475-060	6	2	0


Pressure Rating
1/2" - 2" 235psi @73°F (23°C)
2-1/2" - 6" 150psi @73°F (23°C)

DEEP SOCKET COUPLING (SOC × SOC) Coming Soon



Part Number	Size (in)	Std PK	Mstr Ctn
479-005	1/2	50	400
479-007	3/4	50	300
479-010	1	50	300
479-012	1-1/4	50	200
479-015	1-1/2	30	120
479-020	2	60	0
479-025	2-1/2	25	0
479-030	3	20	0
479-040	4	10	0
479-060	6	5	0


REDUCING WYE (SOC × SOC × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
475-101	3/4x3/4x1/2	20	120
475-131	1x1x3/4	20	80
475-210	1-1/2x1-1/2x3/4	20	80
475-211	1-1/2x1-1/2x1	20	80
475-212	1-1/2x1-1/2x1-1/4	15	60
475-251	2x2x1-1/2	10	40
475-292	2-1/2x2-1/2x2	4	24
475-338	3x3x2	10	0
475-339	3x3x2-1/2	8	0
475-420	4x4x2	5	0
475-422	4x4x3	5	0
475-528	6x6x2	5	0
475-530	6x6x3	5	0
475-532	6x6x4	3	0

Pressure Rating
1/2" - 2" 235psi @73°F (23°C)
2-1/2" - 6" 150psi @73°F (23°C)


UNION W/O-RING SEAL (SOC × SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
497-005	1/2	20	240
497-007	3/4	10	120
497-010	1	10	80
497-012	1-1/4	8	64
497-015	1-1/2	10	40
497-020	2	5	30


Pressure Rating 150psi @73°F (23°C)

SPIGOT FEMALE ADAPTER (SPIG X FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
478-005	1/2	50	600
478-007	3/4	25	300
478-010	1	40	240
478-012	1-1/4		
478-015	1-1/2	30	120
478-020	2		

UNION W/O-RING SEAL (FIPT × FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
498-005	1/2	20	240
498-007	3/4	10	120
498-010	1	10	80
498-012	1-1/4	8	64
498-015	1-1/2	15	60
498-020	2	5	30

Pressure Rating 150psi @73°F (23°C)

*** Sizes and specifications shown are subject to change without notice. ***

Referential Standards:


NSF/ANSI 61 Drinking Water Systems Components – Health Effects
 NSF/ANSI 14 Plastics Piping System Components and Related Materials
 ASTM D 1784 Standard Specification for Rigid Poly Vinyl Chloride (PVC)
 ASTM D 2466 Standard Specification for Poly Vinyl Chloride (PVC) Plastic, Pipe Fittings, Sch40



PVC Sch 80 Fittings




TEE (SOC × SOC × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
801-002	1/4"	50	600
801-005	1/2"	25	200
801-007	3/4"	15	120
801-010	1"	20	80
801-012	1-1/4"	10	40
801-015	1-1/2"	5	30
801-020	2"	5	20
801-025	2-1/2"	10	0
801-030	3"	5	0
801-040	4"	5	0
801-060	6"	2	0

TEE (FIPT × FIPT × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
805-002	1/4"	50	600
805-005	1/2"	20	240
805-007	3/4"	15	120
805-010	1"	15	90
805-012	1-1/4"	10	40
805-015	1-1/2"	10	40
805-020	2"	10	40
805-025	2-1/2"	10	40

REDUCING TEE (SOC × SOC × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
801-101	3/4x3/4x1/2"	15	120
801-130	1x1x1/2"	15	90
801-131	1x1x3/4"	15	90
801-168	1-1/4x1-1/4x1"	15	60
801-210	1-1/2x1-1/2x3/4"	15	60
801-211	1-1/2x1-1/2x1"	15	60
801-247	2x2x1/2"	10	60
801-249	2x2x1"	8	32
801-250	2x2x1-1/4"	10	40
801-251	2x2x1-1/2"	10	40
801-290	2-1/2x2-1/2x1-1/4"	10	40
801-291	2-1/2x2-1/2x1-1/2"	9	36
801-292	2-1/2x2-1/2x2"	9	36
801-337	3x3x1-1/2"	10	0
801-338	3x3x2"	10	0
801-420	4x4x2"	5	0

90° EII (SOC × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
806-002	1/4"	50	600
806-003	3/8"	20	240
806-005	1/2"	25	300
806-007	3/4"	20	160
806-010	1"	25	100
806-012	1-1/4"	10	60
806-015	1-1/2"	15	60
806-020	2"	8	32
806-025	2-1/2"	5	30
806-030	3"	5	20
806-040	4"	5	0
806-060	6"	5	0
806-080	8"	5	0

90° EII (SOC × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
807-005	1/2"	20	240
807-007	3/4"	25	200
807-010	1"	25	100
807-012	1-1/4"	10	60
807-015	1-1/2"	10	40
807-020	2"	15	60

TEE (SOC × SOC × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
802-005	1/2"	20	120
802-007	3/4"	15	60
802-010	1"	15	60
802-015	1-1/2"	10	40
802-020	2"	5	20

90° EII (FIPT × FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
808-005	1/2"	20	240
808-007	3/4"	25	200
808-010	1"	15	90
808-012	1-1/4"	10	40
808-015	1-1/2"	10	40
808-020	2"	10	40
808-030	3"	5	20
808-040	4"	5	20


REDUCING TEE (SOC × SOC × FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
802-251	2x2x1-1/2"	10	40


*** Sizes and specifications shown are subject to change without notice. ***

45° EII (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
817-002	1/4"	50	600
817-003	3/8"	25	300
817-005	1/2"	30	360
817-007	3/4"	20	240
817-010	1"	20	120
817-012	1-1/4"	15	90
817-015	1-1/2"		
817-020	2"	10	40
817-025	2-1/2"	10	60
817-030	3"	4	16
817-040	4"	9	0
817-060	6"	2	0

COUPLING (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
830-002	1/4"	50	600
830-005	1/2"	25	300
830-007	3/4"	25	300
830-010	1"	15	180
830-012	1-1/4"	10	120
830-015	1-1/2"	10	80
830-020	2"		
830-025	2-1/2"	5	20
830-030	3"	5	20

45° EII (FIPT×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
819-005	1/2"	30	360
819-007	3/4"	20	240
819-010	1"		
819-015	1-1/2"	10	60
819-030	3"	6	24

FEMALE ADAPTER (SOC×FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
835-002	1/4"	50	600
835-005	1/2"	30	360
835-007	3/4"	30	240
835-010	1"	25	150
835-012	1-1/4"	10	120
835-015	1-1/2"	10	80
835-020	2"	15	60
835-025	2-1/2"		
835-040	4"	5	20

COUPLING (SOC×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
829-002	1/4"	50	600
829-005	1/2"	35	420
829-007	3/4"	25	300
829-010	1"	25	150
829-012	1-1/4"	10	80
829-015	1-1/2"	10	80
829-020	2"	10	60
829-025	2-1/2"	12	2
829-030	3"	25	0
829-040	4"	12	0
829-060	6"	4	0

MALE ADAPTER (MIPT×SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
836-005	1/2"	25	300
836-007	3/4"	25	300
836-010	1"	20	160
836-012	1-1/4"	10	120
836-015	1-1/2"	35	140
836-020	2"	10	60
836-025	2-1/2"	6	36
836-030	3"	8	48
836-040	4"	4	16

REDUCING COUPLING (SOC×SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
829-101	3/4x1/2"	50	300
829-130	1x1/2"	25	150
829-131	1x3/4"	25	150
829-166	1-1/4x1/2"	25	150
829-16	1-1/4x3/4"	25	150
829-168	1-1/4x1"	35	140
829-210	1-1/2x3/4"	25	100
829-211	1-1/2x1"		
829-212	1-1/2x1-1/4"	24	96
829-251	2x1-1/2"	20	120
829-338	3x2"	5	20
829-532	6x4"	4	0

UNION (SOC×SOC W/O-RING SEAL)




Part Number	Size (in)	Std PK	Mstr Ctn
897-005	1/2"	10	120
897-020	2"	10	40

*** Sizes and specifications shown are subject to change without notice. ***

PVC Sch 80 Fittings




REDUCING BUSHING FLUSH STYLE (SPIG × SOC)




Part Number	Size (in)	Std PK	Mstr Ctn
837-073	1/2x3/8"	50	600
837-101	3/4x1/2"	50	600
837-130	1x1/2"	50	400
837-131	1x3/4"		
837-166	1-1/4x1/2"	50	300
837-167	1-1/4x3/4"	50	300
837-168	1-1/4x1"	25	200
837-209	1-1/2x1/2"	30	180
837-210	1-1/2x3/4"	30	180
837-211	1-1/2x1"	25	150
837-212	1-1/2x1-1/4"	25	150
837-247	2x1/2"	25	150
837-248	2x3/4"	10	120
837-249	2x1"	10	120
837-250	2x1-1/4"	10	120
837-251	2x1-1/2"	10	120
837-289	2-1/2x1"	10	60
837-291	2-1/2x1-1/2"	10	60
837-292	2-1/2x2"		
837-335	3x1"	10	40
837-337	3x1-1/2"	10	40
837-338	3x2"	10	40
837-339	3x2-1/2"	10	40
837-420	4x2"	6	24
837-421	4x2-1/2"	6	24
837-422	4x3"	6	24

REDUCING T.T. BUSHING FLUSH STYLE (MIPT × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
839-072	1/2x1/4"	100	1200
839-073	1/2x3/8"	100	1200
839-098	3/4x1/4"	100	1200
839-099	3/4x3/8"	100	1200
839-101	3/4x1/2"	50	600
839-129	1x3/8"	50	600
839-130	1x1/2"	50	600
839-131	1x3/4"	50	600
839-166	1-1/4x1/2"	35	420
839-167	1-1/4x3/4"	25	300
839-168	1-1/4x1"		
839-210	1-1/2x3/4"	25	200
839-211	1-1/2x1"	25	200
839-212	1-1/2x1-1/4"		
839-247	2x1/2"	10	120
839-292	2-1/2x2"	10	60

REDUCING BUSHING FLUSH STYLE (SPIG × FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
838-101	3/4x1/2"		
838-130	1x1/2"	50	400
838-131	1x3/4"	50	400
838-166	1-1/4x1/2"	25	300
838-167	1-1/4x3/4"	20	240
838-168	1-1/4x1"	25	200
838-209	1-1/2x1/2"	30	180
838-210	1-1/2x3/4"	25	150
838-211	1-1/2x1"	25	150
838-212	1-1/2x1-1/4"	25	150
838-247	2x1/2"		
838-248	2x3/4"	10	120
838-249	2x1"	10	120
838-250	2x1-1/4"	10	120
838-251	2x1-1/2"	10	120
838-292	2-1/2x2"	10	60
838-338	3x2"	10	40
838-339	3x2-1/2"	10	40
838-420	4x2"	6	24
838-422	4x3"	6	24
838-532	6x4"	6	0

CAP (SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
847-002	1/4"	100	1200
847-003	3/8"	50	600
847-005	1/2"	65	80
847-007	3/4"	40	480
847-010	1"	20	240
847-012	1-1/4"	10	120
847-015	1-1/2"	10	120
847-020	2"	10	80
847-025	2-1/2"	15	60
847-030	3"	5	20
847-040	4"	5	20
847-060	6"	4	0

CAP (FIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
848-002	1/4"	100	1200
848-003	3/8"	50	600
848-005	1/2"	50	600
848-007	3/4"	40	480
848-010	1"	20	240
848-012	1-1/4"	10	120
848-015	1-1/2"		
848-020	2"	10	60
848-025	2-1/2"	10	60
848-030	3"	8	32
848-040	4"	5	20

*** Sizes and specifications shown are subject to change without notice. ***




PLUG (SPIG)




Part Number	Size (in)	Std PK	Mstr Ctn
849-010	1"	50	300

PLUG (MIPT)




Part Number	Size (in)	Std PK	Mstr Ctn
850-005	1/2"	150	1800
850-007	3/4"	100	1200
850-010	1"	50	600
850-012	1-1/4"	30	360
850-015	1-1/2"		
850-020	2"	10	120
850-025	2-1/2"	10	60
850-030	3"	10	60
850-040	4"	8	32

FLANGE ONE PIECE (SOC)



Part Number	Size (in)	Std PK	Mstr Ctn
851-025	2-1/2"	15	0

FLOOR FLANGE (FIPT)



Part Number	Size (in)	Std PK	Mstr Ctn
852-005	1/2"	20	120
852-007	3/4"	25	150
852-010	1"	15	60
852-012	1-1/4"	15	60

BLIND FLANGE



Part Number	Size (in)	Std PK	Mstr Ctn
853-025	2-1/2"	25	0
853-030	3"	20	0

*** Sizes and specifications shown are subject to change without notice. ***

QUALITY PRODUCTS BY NCI CANADA

INDUSTRIAL VALVES

- Brass and Bronze Ball Valves
- High Performance Carbon/Stainless Steel Ball Valves
- Bronze & Iron Gate, Globe and Check Valves
- Cast & Forged Steel Gate, Globe and Check Valves
- Butterfly Valves
- Fire Protection Valves
- Bronze, Iron and Steel Strainers



FIRE PROTECTION VALVES

- ACR Copper Fittings
- Copper Press System Fittings & Valves
- Threaded Bronze Fittings
- Brass Nipples
- H.P. Sch 40/80/XXH Seamless Steel Nipples
- H.P. Sch 40 Welded Steel Nipples



METAL FITTINGS

- ACR Copper Fittings
- Copper Press System Fittings & Valves
- Threaded Bronze Fittings
- Brass Nipples
- H.P. Sch 40/80/XXH Seamless Steel Nipples
- H.P. Sch 40 Welded Steel Nipples



PLUMBING VALVES

- Gas Ball Valves
- Boiler Drain Valves
- Stop and Waste Valves



GROOVED FITTINGS

- Flexible & Rigid Couplings
- Reducing Couplings
- Hinged Flange Adapters
- Standard Radius Fittings & Flange Adapters
- Short Radius 90s & Tees
- Standard Radius 90s & Tees
- Mechanical Tees
- U-Bolt Strap Tees
- Concentric Reducers



PLASTIC FITTINGS

- ABS-DWV Fittings
- CPVC-CTS FGG PVF
- PVC Sch40 White Fittings & Valves



THERMOPLASTIC (CHEMTROL PVF)

- PVC Sch80 Valves & Fittings
- CPVC Sch80 Pipe, Valves & Fittings
- PP Sch80 (Black & Natural) PVF
- PVDF Sch80 (Red & Natural) PVF



INSULATION

- Pipe Insulation (Ontario, Québec, Atlantic)



Headquarter and East Region Warehouse: 2305 Wycroft Rd. Oakville, Ontario, L6L 6R2

West Region Warehouse: 7136 - 56 Ave NW, Edmonton, Alberta, T6B 3L2

Tel: 905-727-5545 / 1-800-268-3509 Fax: 905-727-4088