

BOSHART INDUSTRIES

Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164

Fax: 1-519-595-4380 - www.boshart.com

SECTION 8 TANK TEES & FITTING PACKAGES

PRODUCT LINE	PAGE
Heavy Duty No Lead Brass Tank Tees	1
Tank Tees	2
Stainless Steel Tank Tees	3
Stainless Steel Constant Pressure Manifold	4
No Lead Brass Constant Pressure Manifold	4
Manifold Bracket	4
Pump Mounting Bracket	4
No Lead Brass Tank Tee / Manifold Packages	5
Stainless Steel Tank Tee / Manifold Packages	6

BOSHART INDUSTRIES

Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164


Fax: 1-519-595-4380 - www.boshart.com

8-1

August 1/18

BII HEAVY DUTY NO LEAD BRASS SOLID TANK TEES


- Heavy duty no lead brass casting with increased wall thickness, up to 30% heavier wall than standard no lead tank tees in the market



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07TK-25S-2NL	1" MPT	1" MPT x 3/4" FPT	4-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	4	32	43.80
07TK-25-2NL	1" MPT	1" MPT x 3/4" FPT	10"	(2) 1/2" FPT	(2) 1/4" FPT	2	24	60.84
07TK-25-1NL	1" MPT	1" MPT x 3/4" FPT	10"	(1) 1/2" FPT	(2) 1/4" FPT	2	24	58.64
07TK-14X1-2NL	1" MPT	1" MPT x 3/4" FPT	13"	(2) 1/2" FPT	(2) 1/4" FPT	2	20	70.74
07TK-13S-2NL	1-1/4" MPT x 1" FPT	1-1/4" MPT x 1" FPT	4-1/2"	(2) 3/4" FPT	(2) 1/4" FPT	4	24	57.36
07TK-13-2NL	1-1/4" MPT	1-1/4" MPT x 1" FPT	13"	(2) 3/4" FPT	(2) 1/4" FPT	2	12	89.98

BII HEAVY DUTY NO LEAD BRASS O-RING UNION TANK TEES


- Heavy duty no lead brass casting with increased wall thickness, up to 30% heavier wall than standard no lead tank tees in the market
 - Captive O-ring union design holds a North-American standard O-rings securely in a precision machined groove which prevents it from falling out and also provides protection against accidental damage when the union is disconnected
 - 100% water tight seal easily made with hand tightening, only requires low torque with wrench to finish connection
 - O-ring union design is very resistance to swiveling action and holds the tee head securely in position
- 1" uses AS 568-217 O-ring & 1-1/4" uses AS 568-221 O-ring



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07TK-25S-2UNL	1" MPT	1" MPT x 3/4" FPT	4-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	4	24	54.61
07TK-8-2UNL	1" MPT	1" MPT x 3/4" FPT	7-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	2	20	64.87
07TK-25-2UNL	1" MPT	1" MPT x 3/4" FPT	10"	(2) 1/2" FPT	(2) 1/4" FPT	2	20	73.67
07TK-25-1UNL	1" MPT	1" MPT x 3/4" FPT	10"	(1) 1/2" FPT	(2) 1/4" FPT	2	20	72.20
07TK-14X1-2UNL	1" MPT	1" MPT x 3/4" FPT	13"	(2) 1/2" FPT	(2) 1/4" FPT	2	16	84.30
07TK-13S-2UNL	1-1/4" MPT x 1" FPT	1-1/4" MPT x 1" FPT	4-1/2"	(2) 3/4" FPT	(2) 1/4" FPT	4	24	74.96
07TK-13-2UNL	1-1/4" MPT	1-1/4" MPT x 1" FPT	13"	(2) 3/4" FPT	(2) 1/4" FPT	2	12	107.76

NO LEAD BRASS WELLMATE QUICK CONNECT TANK TEE

- Specially designed for the WellMate "QC" Quick Connect Tank series
- Alignment tabs interlock with tank connection to keep tee in perfect position
 - Leg length allows replacement of pressure switch without hitting the tank (no need to disassemble the tee from the tank)



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07TK-25S-2-WMNL	Special Male Q.C. O-Ring Union c/w alignment tabs	1" MPT X 3/4" FPT	4-1/8"	(2) 1/2" FPT	(2) 1/4" FPT	2	24	36.20
07TK-13S-2-WMNL	Special Male Q.C. O-Ring Union c/w alignment tabs	1-1/4" MPT X 1" FPT	6"	(2) 3/4" FPT	(2) 1/4" FPT	2	24	59.22

BOSHART INDUSTRIES

8-2


Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164

August 1/18

Fax: 1-519-595-4380 - www.boshart.com


NO LEAD BRASS FEMALE UNION TANK TEES

- 1" or 1-1/4" FPT brass union nut c/w American Standard Buna-N ring for positive seal to any 1" or 1-1/4" MPT tank connection.
- These tank tees can be used with the following tank series:
WellMate WM Series
Flexcon FlexLite Series
Zilmet Hydro Plus ZHP Series
Any tank with a side outlet 1" or 1-1/4" male connection
- Replacement O-ring can be purchased at local industrial/hardware store
1" = uses AS 568-212 O-ring
1-1/4" = uses AS 568-320 O-ring



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
2-07TK-25SF-2UNL	1" FPT Union	1" MPT x 3/4" FPT	3"	(2) 1/2" FPT	(2) 1/4" FPT	4	32	44.79
2-07TK-13SF-2UNL	1-1/4" FPT Union	1-1/4" MPT x 1" FPT	3"	(2) 3/4" FPT	(2) 1/4" FPT	4	24	63.44
2-07TK-54SF-2UNL	1-1/4" FPT Union	1" MPT X 3/4" FPT	3"	(2) 1/2" FPT	(2) 1/4" FPT	4	32	51.07



NO LEAD BRASS SOLID TANK TEES



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
2-07TK-54S-2NL	1-1/4" MPT	1" MPT X 3/4" FPT	3"	(2) 1/2" FPT	(2) 1/4" FPT	5	40	46.12
2-07TK-25SF-2NL	1" FPT	1" MPT x 3/4" FPT	3-5/8"	(2) 1/2" FPT	(2) 1/4" FPT	4	32	41.44
2-07TK-25S-2NL	1" MPT	1" MPT x 3/4" FPT	3-5/8"	(2) 1/2"	(2) 1/4"	5	40	28.11
2-07TK-25-2NL	1" MPT	1" MPT x 3/4" FPT	10"	(2) 1/2"	(2) 1/4"	2	24	45.08
2-07TK-25-1NL	1" MPT	1" MPT x 3/4" FPT	10"	(1) 1/2"	(2) 1/4"	2	24	42.67
2-07TK-14X1-2NL	1" MPT	1" MPT x 3/4" FPT	13"	(2) 1/2"	(2) 1/4"	2	20	55.49
2-07TK-13SF-2NL	1-1/4" FPT	1-1/4" MPT x 1" FPT	3-5/8"	(2) 3/4" FPT	(2) 1/4" FPT	4	32	59.73
2-07TK-13S-2NL	1-1/4" MPT	1-1/4" MPT x 1" FPT	3-3/8"	(2) 3/4"	(2) 1/4"	4	32	40.83
2-07TK-13-2NL	1-1/4" MPT	1-1/4" MPT x 1" FPT	13"	(2) 3/4"	(2) 1/4"	2	12	82.39

NO LEAD BRASS O-RING UNION TANK TEES

- American Standard BUNA N O-ring used to ensure watertight connection
1" uses AS 568-214 O-ring & 1-1/4" uses AS 568-219 O-ring



2-07TKO-25S-2UNL

2-07TKO-25-2UNL

PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
2-07TKO-25S-2UNL	1" MPT	1" MPT x 3/4" FPT	4-1/2"	(2) 1/2"	(2) 1/4"	4	24	40.56
2-07TKO-8-2UNL	1" MPT	1" MPT x 3/4" FPT	7-1/2"	(2) 1/2"	(2) 1/4"	2	20	54.07
2-07TKO-25-2UNL	1" MPT	1" MPT x 3/4" FPT	10"	(2) 1/2"	(2) 1/4"	2	20	54.80
2-07TKO-25-1UNL	1" MPT	1" MPT x 3/4" FPT	10"	(1) 1/2"	(2) 1/4"	2	20	56.01
2-07TKO-14X1-2UNL	1" MPT	1" MPT x 3/4" FPT	13"	(2) 1/2"	(2) 1/4"	2	16	65.36
2-07TKO-13S-2UNL	1-1/4" MPT	1-1/4" MPT x 1" FPT	4-1/2"	(2) 3/4"	(2) 1/4"	4	24	60.27
2-07TKO-13-2UNL	1-1/4" MPT	1-1/4" MPT x 1" FPT	13"	(2) 3/4"	(2) 1/4"	2	12	91.21

BOSHART INDUSTRIES

Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164

Fax: 1-519-595-4380 - www.boshart.com

8-3

August 1/18

STAINLESS STEEL O-RING UNION TANK TEES

Boshart recommends - Using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded connections.

- Heavy duty 304 stainless steel head casting
- 304 stainless steel Sch. 40 pipe nipple leg
- Provides high corrosion resistance
- American Standard BUNA N O-ring used to ensure watertight connection
- 1" uses AS 568-217 O-ring & 1-1/4" uses AS 568-221 O-ring



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07ST-25S-2U	1" MPT	1" MPT X 3/4" FPT	4-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	6	24	77.59
07ST-8-2U	1" MPT	1" MPT X 3/4" FPT	7-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	6	24	82.04
07ST-25-2U	1" MPT	1" MPT X 3/4" FPT	10"	(2) 1/2" FPT	(2) 1/4" FPT	3	12	85.45
07ST-14X1-2U	1" MPT	1" MPT X 3/4" FPT	13"	(2) 1/2" FPT	(2) 1/4" FPT	3	12	89.39
07ST-13S-2U	1-1/4" MPT	1-1/4" MPT X 1" FPT	4-1/2"	(2) 3/4" FPT	(2) 1/4" FPT	4	16	93.01
07ST-13-2U	1-1/4" MPT	1-1/4" MPT X 1" FPT	13"	(2) 3/4" FPT	(2) 1/4" FPT	2	8	106.10
07ST-16-2U	1-1/4" MPT	1-1/4" MPT X 1" FPT	16"	(2) 3/4" FPT	(2) 1/4" FPT	3	12	113.51

NON-UNION STAINLESS STEEL TANK TEES

Boshart recommends - Using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded connections.

- Heavy duty 304 stainless steel head casting comes with permanently installed 304 stainless steel Sch. 40 pipe nipple leg
- Permanent hard setting thread sealant ensures a watertight connection, and secures nipple in tank tee head, it will not un-thread if the tank tee needs to be removed to replace a defective pressure tank.
- Provides high corrosion resistance




PART NO.	TANK CONNECTION	LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07ST-25SFH-2	1" FPT*	1" MPT X 3/4" FPT	1-11/16"	(2) 1/2" FPT	(2) 1/4" FPT	5	40	48.81
07ST-25S-2	1" MPT	1" MPT X 3/4" FPT	4-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	6	24	55.28
07ST-8-2	1" MPT	1" MPT X 3/4" FPT	7-1/2"	(2) 1/2" FPT	(2) 1/4" FPT	5	20	61.44
07ST-25-2	1" MPT	1" MPT X 3/4" FPT	10"	(2) 1/2" FPT	(2) 1/4" FPT	3	12	62.47
07ST-14X1-2	1" MPT	1" MPT X 3/4" FPT	13"	(2) 1/2" FPT	(2) 1/4" FPT	3	12	67.60
07ST-13SFH-2	1-1/4" FPT*	1-1/4" MPT X 1" FPT	1-7/8"	(2) 3/4" FPT	(2) 1/4" FPT	4	32	58.38
07ST-13S-2	1-1/4" MPT	1-1/4" MPT X 1" FPT	4-1/2"	(2) 3/4" FPT	(2) 1/4" FPT	6	24	65.80
07ST-13-2	1-1/4" MPT	1-1/4" MPT X 1" FPT	13"	(2) 3/4" FPT	(2) 1/4" FPT	2	8	83.28
07ST-16-2	1-1/4" MPT	1-1/4" MPT X 1" FPT	16"	(2) 3/4" FPT	(2) 1/4" FPT	3	12	88.66

* The FPT tank connection is machined oversized to ensure the pipe nipple threads completely into the head casting leaving no exposed threads.

GALVANIZED MALLEABLE IRON TANK TEES

- Heavy duty malleable iron castings
- Thick galvanized coating for corrosion resistance
- Compact and economical

07HC100G



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07HC100G	1" FPT	1" FPT	(1) 3/4" FPT	(2) 1/4" FPT	1	30	17.46
07HC125G	1-1/4" FPT	1-1/4" FPT	(1) 3/4" FPT	(2) 1/4" FPT	1	20	23.56

PVC TANK TEES

- PVC Material
- One-Piece Molded
- Complies with ASTM Socket & ANSI Threaded Standards
- Recommended working pressure 145 PSI



PART NO.	TANK CONNECTION	IN-LINE CONNECTION	CENTRE END LENGTH	DRAIN/RELIEF PORTS	ACCESSORY PORTS	QUANTITY CTN	CASE	LIST PRICE-A
07-IC125	1-1/4" MPT X 1" F	1" MPT X 3/4" FPT	3-5/8"	(1) 3/4" FPT (1) 1/2" FPT	(2) 1/4" FPT	65		19.06
07PT-25-2	1" MPT	1" MPT X 3/4" Socket	11"	(2) 1/2" FPT	(2) 1/4" FPT	1	60	13.57

BOSHART INDUSTRIES

8-4

Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164

August 1/18

Fax: 1-519-595-4380 - www.boshart.com

STAINLESS STEEL CONSTANT PRESSURE MANIFOLD

Boshart recommends - Using both Gray Stainless Steel PTFE Tape & Gray Magic Pipe Thread Compound together for joining stainless steel threaded connections.


- 1" FPT tank port makes this manifold functional with any tank on the market
- 1" FPT ports can be bushed down to match your tank and transducer
- MPT x FPT line connections on both ends for ease of installation
- Two 3/4" FPT ports accommodate a relief valve and a hose bibb
- One 1/4" FPT port accommodates a 2" or 2-1/2" dial 1/4" MPT center back mount gauge



PART NO.	TANK CONNECTIONS	IN-LINE CONNECTIONS	TOTAL LENGTH	TRANSDUCER PORT	DRAIN/RELIEF PORTS	PRESSURE GAUGE PORT	QUANTITY		LIST PRICE-A
							CTN	CASE	
07M-125SS	1" FPT	1- 1/4" MPT x 1" FPT	11"	(1) 1"	(2) 3/4"	(1) 1/4"	6	24	88.56
07M-200SS	1" FPT	2" MPT x 1-1/2" FPT	13-3/4"	(1) 1"	(2) 3/4"	(1) 1/4"	3	12	187.73

NO LEAD BRASS CONSTANT PRESSURE MANIFOLD

- Available with 3/4" or 1" FPT tank and transducer ports
- MPT x FPT line connections on both ends for ease of installation
- Two 3/4" FPT ports accommodate a relief valve and a hose bibb
- One 1/4" FPT port accommodates a 2" or 2-1/2" dial 1/4" MPT center back mount gauge




PART NO.	TANK CONNECTIONS	LINE CONNECTIONS	TOTAL LENGTH	TRANSDUCER PORT	DRAIN/RELIEF PORTS	PRESSURE GAUGE PORT	QUANTITY		LIST PRICE-A
							CTN	CASE	
2-07M-125NL	3/4" FPT	1- 1/4" MPT x 1" FPT	13-5/8"	(1) 3/4"	(2) 3/4"	(1) 1/4"	1	16	81.86
2-07M-125-10NL	1" FPT	1- 1/4" MPT x 1" FPT	13-5/8"	(1) 1"	(2) 3/4"	(1) 1/4"	1	16	83.02

MANIFOLD BRACKET

The bracket allows a manifold to be secured to the brackets with "U" bolts and a small pressure tank inserted to the manifold. This bracket is interchangeable to allow for two different mounting options. Brackets are steel with black powder coat finish and are supplied with lag screws, "U" bolts, nylon lock nuts and plastic end caps.

PART NO.	DESCRIPTION	QUANTITY	LIST
		CARTON	PRICE-A
07M-125-MB	For 1-1/4" Manifold	20	37.79
07M-200-MB	For 2" Manifold	20	48.22




PUMP MOUNTING BRACKET


Pump mounting bracket kit has the following components:

- (1) 3/8" -16NC x 3/4" zinc plated hex bolt
- (1) 3/8" -16NC x 1" zinc plated hex bolt
- (1) 5/8" -11NC x 3/8" -16NC bushing for Flexcon Tanks
- (4) zinc plated flat shim washers
- (4) blue plastic leg protectors

PART NO.	TYPE	SIZE	QUANTITY		LIST PRICE-A
			BAG	CASE	
PMB	Universal	7-1/2" x 9-1/8" x 1-15/16"	1	20	23.57



Warning: To prevent damage to the tank it is very important to use the proper length bolts. A bolt which is too long may dent or puncture the tank dome. The length of bolt will vary on different tank styles. Always use shim washers where required.



BOSHART INDUSTRIES

Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164


Fax: 1-519-595-4380 - www.boshart.com

8-5

August 1/18

NO LEAD BRASS TANK TEE PACKAGES

PART NO.	LIST TANK PRICE-A TEE	BOILER DRAIN	PRESSURE GAUGE	PRESSURE SWITCH	NIPPLE	RELIEF VALVE	CHECK VALVE	ADAPTER NIPPLE	ADDITIONAL BALL VALVE
SOLID NO LEAD BRASS TANK TEE PACKAGES									
TFP-2TK132NL	160.40	0853-07NL	PG-100NL	FSG2J21	BRN-0230	RVNB07-075NL			
TFP-2TK132NRNL	147.47	0853-07NL	PG-100NL	FSG2J21	BRN-0230				
TFP-2TK1352NL	117.91	0853-07NL	PG-100NL	FSG2J21	BRN-0230	RVNB07-075NL			
TFP-2TK1412NL	132.01	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-2TK1412P4NL	110.37	0853-05NL	PG-100NL	PS02-4060	BRN-0230	RVNB05-075NL			
TFP-2TK1412M4CVNL	167.45	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL	17YBCV100NL		
TFP-2TK251NRNL	107.68	0853-05NL	PG-100NL	FSG2J21	BRN-0230				
TFP-2TK252NL	120.20	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-2TK252P4NL	88.56	0853-05NL	PG-100NL	PS02-4060	BRN-0230	RVNB05-075NL			
TFP-2TK252J24NL	120.20	0853-05NL	PG-100NL	FSG2J24	BRN-0230	RVNB05-075NL			
TFP-2TK252M4NL	132.65	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL			
TFP-2TK252M4CVNL	155.64	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL	17YBCV100NL		
TFP-2TK252NL	103.49	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-2TK252M4NL	115.94	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL			
TFP-2TK252F2M4ANL	167.24	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL			
TFP-TK252WMNL	107.72	077TK-25S-2-WMNL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-TK252WMJ24NL	111.46	077TK-25S-2-WMNL	PG-100NL	FSG2J24	BRN-0230	RVNB05-100NL			
SOLID NO LEAD BRASS W/ FEMALE UNION TANK TEE PACKAGES									
TFP-2TK255F2UNL	120.86	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-2TK135F2UNL	141.52	0853-07NL	PG-100NL	FSG2J21	BRN-0230	RVNB07-075NL			
UNION NO LEAD BRASS TANK TEE PACKAGES									
TFP-2TK132UNL	169.09	0853-07NL	PG-100NL	FSG2J21	BRN-0230	RVNB07-075NL			
TFP-2TK1352UNL	137.05	0853-07NL	PG-100NL	FSG2J21	BRN-0230	RVNB07-075NL			
TFP-2TK1412UNL	141.74	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-2TK251UNRNL	118.96	0853-05NL	PG-100NL	FSG2J21	BRN-0230				
TFP-2TK252UNL	129.77	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			
TFP-2TK252UP3NL	108.13	0853-05NL	PG-100NL	PS02-3050	BRN-0230	RVNB05-075NL			
TFP-2TK252UP4NL	104.86	0853-05NL	PG-100NL	PS02-4060	BRN-0230	RVNB05-075NL			
TFP-2TK252UJ24NL	129.78	0853-05NL	PG-100NL	FSG2J24	BRN-0230	RVNB05-075NL			
TFP-2TK252UM4NL	142.23	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL			
TFP-2TK252UM4CVNL	165.21	0853-05NL	PG-100NL	FSG2J21M4	BRN-0230	RVNB05-075NL	17YBCV100NL		
TFP-2TK252UCV02NL	179.01	0852-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL	17YBCV100NL		
TFP-2TK2552UNL	115.75	0853-05NL	PG-100NL	FSG2J21	BRN-0230	RVNB05-075NL			



NO LEAD BRASS CONSTANT PRESSURE MANIFOLD PACKAGES

PART NO.	LIST PRICE-A	MANIFOLD	HOSE BIBB	PRESSURE GAUGE	MANIFOLD BRACKET	RELIEF VALVE	BUSHING	OTHER
TFP-2M125NL	130.56	07M-125NL	0852-07NL	PGCBM-1-100-GNL	07M-125-MB	RVNB07-100NL	NLBRB-0705	
TFP-2M125MBNL	159.47	07M-125NL	0852-07NL	PGCBM-1-100-GNL	07M-125-MB	RVNB07-100NL	NLBRB-0705	

BOSHART INDUSTRIES

8-6
September 25/17

Telephone: 1-519-595-4444 - Toll Free: 1-800-561-3164
Fax: 1-519-595-4380 - www.boshart.com

STAINLESS STEEL TANK TEE PACKAGES

PART NO.	LIST TANK PRICE-A TEE	BOILER DRAIN	PRESSURE GAUGE	PRESSURE SWITCH	PRESSURE NIPPLE	RELIEF VALVE	CHECK VALVE	ADDIT. NIPPLE	BALL VALVE	OTHER
STAINLESS STEEL UNION TANK TEE PACKAGES										
TFP-ST132U	237.90	07ST-13-2U	SSHB52-07 PGS25-100	FSG2J21	SS304N-0230	SSRVN07-075				
TFP-ST13S2U	223.37	07ST-13S-2U	SSHB52-07 PGS25-100	FSG2J21	SS304N-0230	SSRVN07-075				
TFP-ST14X12U	216.08	07ST-14X1-2U	SSHB52-05 PGS25-100	FSG2J21	SS304N-0230	SSRVN05-075				
TFP-ST14X12UJ24	216.08	07ST-14X1-2U	SSHB52-05 PGS25-100	FSG2J24	SS304N-0230	SSRVN05-100				
TFP-ST252U	210.70	07ST-25-2U	SSHB52-05 PGS25-100	FSG2J21	SS304N-0230	SSRVN05-075				
TFP-ST252UJ24	210.70	07ST-25-2U	SSHB52-05 PGS25-100	FSG2J24	SS304N-0230	SSRVN05-075				
TFP-ST252UJ24-04	282.07	07ST-25-2U	SSHB52-05 PGS-100-G	FSG2J24	SS304N-0230	SSRVN05-100	17CVSS-100	SS304N-0720	SSBV800-07	SS304SE-07
TFP-ST252UJ24-07	280.93	07ST-25-2U	SSHB52-05 PGSCBM-100-G	FSG2J24	SS304N-0230	SSRVN05-100	17CVSS-100		SSBV800-10	
TFP-ST25S2U	202.84	07ST-25S-2U	SSHB52-05 PGS25-100	FSG2J21	SS304N-0230	SSRVN05-075				
TFP-ST25S2UJ24	202.84	07ST-25S-2U	SSHB52-05 PGS25-100	FSG2J24	SS304N-0230	SSRVN05-075				
TFP-ST25S2UJ24-04	278.81	07ST-25S-2U	SSHB52-05 PGS-100-G	FSG2J24	SS304N-0230	SSRVN05-100	17CVSS-100	SS304N-0720	SSBV800-07	SS304SE-07
TFP-ST82U	207.29	07ST-8-2U	SSHB52-05 PGS25-100	FSG2J21	SS304N-0230	SSRVN05-075				SS304C-10
TFP-ST82UJ24	207.29	07ST-8-2U	SSHB52-05 PGS25-100	FSG2J24	SS304N-0230	SSRVN05-075				
STAINLESS STEEL NON-UNION TANK TEE PACKAGES										
TFP-ST132J24-01	219.75	07ST-13-2	SSHB52-07 PGS25-100	FSG2J24	SS304N-0230	SSRVN07-075				TT260-SS
TFP-ST162J24-01	226.29	07ST-16-2	SSHB52-07 PGS25-100	FSG2J24	SS304N-0230	SSRVN07-075				TT260-SS
TFP-ST252	184.27	07ST-25-2	SSHB52-05 PGS25-100	FSG2J21	SS304N-0230	SSRVN05-075				
TFP-ST252J24	184.27	07ST-25-2	SSHB52-05 PGS25-100	FSG2J24	SS304N-0230	SSRVN05-075				



STAINLESS STEEL CONSTANT PRESSURE MANIFOLD PACKAGES

PART NO.	LIST PRICE-A	MANIFOLD	HOSE BIBB	PRESSURE GAUGE	PRESSURE SWITCH	MANIFOLD BRACKET	RELIEF VALVE	BUSHINGS	OTHER
TFP-07M125SS	170.90	07M-125SS	SSHB52-07	PGSCBM-100-G			SSRVN07-100	439-130 439-131	
TFP-07M125SS-01	178.26	07M-125SS	SSHB52-07	PGSCBM-100-G			SSRVN07-100	SS304B-1005 SS304B-1007	TT260-SS
TFP-07M125SS-MB	203.53	07M-125SS	SSHB52-07	PGSCBM-100-G	07M-125-MB		SSRVN07-100	439-130 439-131	
TFP-07M125SSMB-01	210.72	07M-125SS	SSHB52-07	PGSCBM-100-G	07M-125-MB		SSRVN07-100	SS304B-1005 SS304B-1007	TT260-SS
TFP-07M200SS-MB	309.32	07M-200SS	SSHB52-07	PGSCBM-100-G	07M-200-MB		SSRVN07-100	439-130 439-131	

