

HEALTH & SAFETY AT WORK

CANADIAN SUPPLIER


ORDER TODAY

877.661.5539

info@visionmarker.ca









FIRE PROTECTION





PIPE MARKER + TAGS



LABELS



FIRST AID KITS



PIPE BANDING TAPE






| P | IPING MATERIAL IDENTIFICATION | 5 |
|---|--|-------|
| | Standard adhesive pipe marker VM-388-E | 6 |
| | Standard RollMarker (RM) VM-989-E | 7 |
| | Pipe banding tape | 8 |
| | Medical labels | 9 |
| | Mechanical materials | 10 |
| | Stencils and engravings | 11 |
| | Fire protection | 12-13 |
| | | |

| ABELS AND SIGNS | 15 |
|---------------------------------------|---|
| Fire protection | 16 |
| Warning | 16 |
| Regulation posters/ signs | 17 |
| Information labels/signs | 17 |
| Caution | 18 |
| Restriction | 18 |
| Danger | 19-20 |
| Caution | 20 |
| Informative signs | 21 |
| Danger tags | 22 |
| Tags for transport of dangerous goods | 23 |
| | Fire protection Warning Regulation posters/ signs Information labels/signs Caution Restriction Danger Caution Informative signs Danger tags |







STANDARD ADHESIVE PIPE MARKER

> Thinkness .004 temperature -46 °C to 93 °C / -50 °F to 200 °F

1 1/8" Sticker

Letter: ½"

Pipe diameter: 1/2"



11/8" Sticker

Letter: 3/4"

Pipe diameter: 3/4" to 2"



21/4" Sticker

Letter: 11/4"

Pipe diameter: 3" to 6"



4" Sticker


Letter: 2½" or 3½" Pipe diameter: 8" and up



11/8" Arrow sticker

Arrow: 3/4" x 5"


Pipe diameter: 3/4" to 2"



21/4" Arrow sticker

Arrow: 13/4" x 6"


Pipe diameter: 3" to 6"



4" Arrow sticker

Arrow: 31/4" x 10"

Pipe diameter: 8" and up





ROLLMARKER (RM) STANDARD VM-989-E

> Thinkness .004 temperature -46 °C to 93 °C / -50 °F to 200 °F

RM4

| 0.75" Pipe | RM (A) 0.25" Letters |
|------------------|----------------------|
| 1" to 1.25" Pipe | RM (B) 0.5" Letters |
| 1.5" to 2" Pipe | RM (C) 0.75" Letters |

RM8

| 0.75" to 1.25" Pipe | RM (A): 0.5" Letters |
|---------------------|-----------------------|
| 1.5" to 2.5" Pipe | RM (B): 0.75" Letters |
| 3.5" to 6.5" Pipe | RM (C): 1.25" Letters |
| 8.5" to 10.5" Pipe | RM (D): 2" Letters |

| 4" | |
|---|---|
| NATURAL GAS VISIONMARKER (VM909) ROLL TYPE GAINE STYLE TEL: 877-461-4559 | |
| AB LARUTAN → | |
| NATURAL GAS INCIDIONAL STYLE TELL 877-661-5539 | |
| EAD JARUTAN → | |
| NATURAL GAS ⇒ | |
| VISIONMARKER (VINSOS) ROLL TYPE GAME STYLE TEL 877-661-5539 | 1 |
| NATURAL GAS ⇒ | |
| SAÐ JARUTAN → | |



CUSTOMIZED COLORS ALSO AVAILABLE

| YELLOW | ORANGE | RED | PINK | PURPLE | BLUE |
|---------------|---------------|---------------|----------------------|---------------------|----------------|
| VM-J24 | VM-044 | VM-R37 | VM-R41 | VM-V48 | VM-B08 |
| MEDIUM BLUE | LIGHT BLUE | AQUA | LIGHT GREEN VM-VP58 | GREEN | DARK GREEN |
| VM-BM13 | VM-BP15 | VM-A16 | | VM-V19 | VM-VF17 |
| WHITE | BLACK | GREY | BROWN | LIGHT BROWN VM-BP73 | BEIGE |
| VM-B01 | VM-N02 | VM-G05 | VM-B30 | | VM-B31 |

The actual color of the product may differ slightly from the illustrated color.



BANDING ARROW TAPE


> 75 ft or 150 ft in length



Model designed for a

34" to 2" diameter pipe


Arrows: 5/8" x 5/8"



Model designed for a

3" to 6" diameter pipe

Arrows: 1½" x 1½"



Model designed for a

8" Pipe diameter and up

Arrows: 3½" x 3½"

TAPE ALSO AVAILABLE WITHOUT ARROWS

CUSTOMIZED COLORS ALSO AVAILABLE

| YELLOW | ORANGE | RED | PINK | PURPLE | BLUE |
|---------------|---------------|---------------|----------------------|---------------------|----------------|
| VM-J24 | VM-044 | VM-R37 | VM-R41 | VM-V48 | VM-B08 |
| MEDIUM BLUE | LIGHT BLUE | AQUA | LIGHT GREEN VM-VP58 | GREEN | DARK GREEN |
| VM-BM13 | VM-BP15 | VM-A16 | | VM-V19 | VM-VF17 |
| WHITE | BLACK | GREY | BROWN | LIGHT BROWN VM-BP73 | BEIGE |
| VM-B01 | VM-N02 | VM-G05 | VM-B30 | | VM-B31 |

The actual color of the product may differ slightly from the illustrated color.



MEDICAL LABELS

> 4"x 5" adhesive decal labels

EVACUATION INERT GAS
EVACUATION INERT GAS
EVACUATION INERT GAS
EVACUATION INERT GAS

EVACUATION ANESTHETIC GAS EVACUATION ANESTHETIC GAS EVACUATION ANESTHETIC GAS EVACUATION ANESTHETIC GAS ENTRANCE ENTRANCE
ENTRANCE ENTRANCE
ENTRANCE ENTRANCE
ENTRANCE

MEDICAL AIR
MEDICAL AIR
MEDICAL AIR
MEDICAL AIR

EVACUATION HYDROGEN
EVACUATION HYDROGEN
EVACUATION HYDROGEN
EVACUATION HYDROGEN

EVACUATION EVACUATION
EVACUATION EVACUATION
EVACUATION EVACUATION

MEDICAL LABORATORY SUCTION

MEDICAL LABORATORY SUCTION

MEDICAL LABORATORY SUCTION

MEDICAL LABORATORY SUCTION

MEDICAL VACUUM
MEDICAL VACUUM
MEDICAL VACUUM
MEDICAL VACUUM

HELIUM HELIUM
HELIUM HELIUM
HELIUM HELIUM
HELIUM

NITROUS OXIDE
NITROUS OXIDE
NITROUS OXIDE
NITROUS OXIDE

NITROGEN NITROGEN
NITROGEN NITROGEN
NITROGEN NITROGEN

OXYGEN OXYGEN
OXYGEN OXYGEN
OXYGEN OXYGEN

HELIUM EVACUTION
HELIUM EVACUTION
HELIUM EVACUTION

CARBON DIOXYDE
CARBON DIOXYDE
CARBON DIOXYDE
CARBON DIOXYDE

MECHANICAL MATERIALS

> Mainly used for dirty, rusty, wet, and oily pipes, as well as with rough surfaces. Apply where conventional stickers won't stick.





Clip-on (G) Tie-on (T)

| STYLE | DIA. OF EXTERIOR PIPE | WIDTH OF MATERIAL |
|-------|-----------------------|-------------------|
| G1 | 3⁄4" to 1" | 8" |
| G2 | 1¼" to 2¼" | 8" |
| G3 | 2½" to 3¼" | 12" |
| G4 | 3½" to 4¼' | 12" |
| G5 | 4½" to 6" | 12" |

| STYLE | DIA. OF EXTERIOR PIPE | WIDTH OF MATERIAL |
|-------|-----------------------|-------------------|
| T6 | 6" | 12" |
| T7 | 8" | 24" |
| Т8 | 10" and up | 32" |

| ТҮРЕ | DESCRIPTION OF MATERIAL | THICKNESS | TEMPERATURE |
|----------------|--------------------------------------|-------------------|-------------------------------------|
| SELF-ADHEARING | (G) VM-589-E CLIP-ON | 0.020" and 0.030" | -46 °C to 95 °C -50 °F to 200 °F |
| WITH STRAP | (T) VM-589-E Tie-on | 0.030" | -46 °C to 95 °C -50 °F to 200 °F |



STENCIL AND ENGRAVINGS

VALVE ID TAGS

Valves are usually identified using metal or plastic round ID tags. They are generally attached by means of a short brass or stainless steel chain.

ID inscriptions are engraved or blackened.



They can also be sold without any engraved inscriptions.

STANDARDS MATERIALS

- > Brass
- > Stainless steel
- > Polypropylene
- > Laminated plastic
- > Aluminium
- > Other materials available upon request

IDENTIFICATION PLATE TAGS

Plate tags are made according to your designs and specifications. Holes and rear decal available on demand

STANDARD MATERIALS:

- > Stainless steel
- Laminated plastic
- > Aluminium
- > Other materials available upon request





TIES (CONNECTIONS AND FASTENERS)

BEADED CHAIN: #6 x 115mm. **STAINLESS STEEL:** ch-001

BRASS: ch-002

LEADED GALVANIZED STEEL WIRE UNLEADED GALVANIZED STEEL WIRE

STENCIL

Available, according to your needs

FRESH AIR



FIRE PROTECTION

> Posters for water and air systems (Set of 7 rigid posters for each system)

Water system / G-3001


INSCRIPTION

- 1 This valve controls an automatic sprinkler system and must always remain open
- 2 Excess pressure pump
- 3 Main drain
- 4 Auxiliary drain
- 5 Safety alarm
- 6 Control line
- **7** Safety valve

Air system / G-3002

INSCRIPTION

- 1 This valve controls an automatic sprinkler system and must always remain open
- 2 Air valve
- 3 Main drain
- 4 Auxiliary drain
- **5** Alarm test
- 6 Control line
- 7 Safety valve
- > Posters 2" x 4"



*OTHER INCRIPTIONS AVAILABLE UPON REQUEST



G-3112

G-3115

FIRE PROTECTION

> Posters 4" x 6"

THIS VALVE CONTROLS AN AUTOMATIC SPINKLER SYSTEM AND MUST ALWAYS REMAIN OPEN

SPRINKLER ROOM

SPRINKLER ROOM IN BASEMENT

G-3114

G-3117

THIS BY-PASS
VALVE MUST
ALWAYS REMAIN
OPEN

THIS VALVE CONTROLS
EXCESS PRESSURE
(PUMP) AND MUST

ALWAYS REMAIN OPEN

G-3116

G-3113

THIS FEED TEST VALVE IS NORMALLY CLOSED

THIS VALVE CONTROLS
A FIRE SPRINKLER
SYSTEM

SPRINKLER ROOM FOR FIRE CONTROL

G-3119

> 6" x 8" Posters with removable arrow











POSTERS AND SIGNS

FIRE PROTECTION



















WARNING POSTERS/SIGNS













REGULATION POSTERS/ SIGNS















INFORMATION LABELS/SIGNS























CAUTION LABELS/ SIGNS













RESTRICTION LABELS/ SIGNS



















DANGER





















































DANGER



5125



5126



5127



DANGER **FLAMMABLE** LIQUID

5129







CAUTION



5200

EMERGENCY EXIT DO NOT BLOCK

5201

EMERGENCY EXIT KEEP CLOSED

5202

WEAR SAFETY GOGGLES OR PROTECTIVE VISOR WHEN OPERATING THIS MACHINE

5203

5208

FORKLIFT OPERATING IN THIS AREA

5204

WATCH THE STEP

5205

KEEP CLOSE

5206

WET **FLOOR**

5207

WEARING SAFETY **GOGGLES IS MANDATORY** AT ALL TMES

THIS DOOR **MUST BE KEPT CLOSED**

5209

SAFETY GLASSES **REQUIRED IN** THIS AREA

5210

USE SAFETY RAMP

5211

DO NOT **LOOK AT ARC FLASH**

5212

WEAR SAFETY GOGGLES IS MANDATORY IN THIS REA

5213

WEAR YOUR PROTECTIVE GOGGLES

5214

WEARING OF SAFETY **GLASSES REQUIRED**

5215

WEARING OF SAFETY **HELMET REQUIRED**

5216

WEAR YOUR SAFETY MASK

5217

5222

WEAR SAFETY SHOES IN THIS AREA

5218

MAXIMUM HEIGHT

5219

FLOOR SLIPPERY WHEN WET

5220

ATTACH GROUNDING **CABLES**

5221

ENTRY PROHIBITED

20

CORROSIVE MATERIAL WEAR REQUIRED PROTECTION

UNDERGROUND CABLES

5224



5223

5300

5305

5500

INFORMATIVE

VISITOR PARKING ONLY

NO PARKING NO PARKING PRIVATE PROPERTY UNAUTHORISED VEHICLES WILL BE TOWED AWAY

5302

5307

EMPLOYEE PARKING ONLY

5303

5308

RECEPTION AREA

5304

PRIVATE PROPERTY NO TRESPASSING RESTRICTED
ACCESS AREA
AUTHORIZED
PERSONNEL ONLY

CLEAN AFTER USAGE

5400

THIS IS YOUR RESTROOM PLEASE KEEP IT CLEAN BREATHING APPARATUS (STORAGE)

5309

5700

RESTRICTED AREA

NOTICE

5306

5301


SAFETY FIRST

5600

BE CAREFUL


DANGER TAGS

> TAGS 4" x 6"




HAZARDOUS MATERIAL TRANSPORTATION

> Legistration regarding the transportation of hazardous material requires that these dangerous products always be labeled. The regulations specify the exact colors, symbols and designs to be used in the transportation of hazardous material. When you place your order, make sure to specify whether you need a decal or styrene label.



T.D.G LABELS AND PLACARDS





TO PLACE AN ORDER

visionmarker

877.661.5539

info@visionmarker.ca

www.visionmarker.ca